

1c600 U.S. PTO
07/17/98

Please type a plus sign (+) inside this box → ☐ +

Approved for use through 09/30/2000. OMB 0551-0032
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

UTILITY PATENT APPLICATION TRANSMITTAL		Attorney Docket No. 678-139 (P8415/STN)
		First Inventor or Application Identifier Hye-Young LEE
		Title MOBILE TELEPHONE CAPABLE
(Only for new nonprovisional applications under 37 C.F.R. § 1.53(b))		Express Mail Label No. EL071685290US

APPLICATION ELEMENTS See MPEP chapter 600 concerning utility patent application contents.	ADDRESS TO: Assistant Commissioner for Patents Box Patent Application Washington, DC 20231
---	---

<p>1. <input checked="" type="checkbox"/> * Fee Transmittal Form (e.g., PTO/SB/17) (Submit an original and a duplicate for fee processing)</p> <p>2. <input checked="" type="checkbox"/> Specification [Total Pages 11] (preferred arrangement set forth below)</p> <ul style="list-style-type: none"> - Descriptive title of the invention - Cross References to Related Applications - Statement Regarding Fed sponsored R & D - Reference to Microfiche Appendix - Background of the invention - Brief Summary of the invention - Brief Description of the Drawings (if filed) - Detailed Description - Claim(s) - Abstract of the Disclosure <p>3. <input checked="" type="checkbox"/> Drawing(s) (35 U.S.C. 113) [Total Sheets 3]</p> <p>4. Oath or Declaration [Total Pages 1]</p> <ul style="list-style-type: none"> a. <input type="checkbox"/> Newly executed (original or copy) b. <input type="checkbox"/> Copy from a prior application (37 C.F.R. § 1.63(d)) (for continuation/divisional with Box 17 completed) (Note Box 5 below) i. <input type="checkbox"/> DELETION OF INVENTOR(S) Signed statement attached deleting inventor(s) named in the prior application, see 37 C.F.R. §§ 1.63(d)(2) and 1.33(b). <p>5. <input type="checkbox"/> Incorporation By Reference (useable if Box 4b is checked) The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered to be part of the disclosure of the accompanying application and is hereby incorporated by reference therein.</p>	<p>6. <input type="checkbox"/> Microfiche Computer Program (Appendix)</p> <p>7. Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary)</p> <ul style="list-style-type: none"> a. <input type="checkbox"/> Computer Readable Copy b. <input type="checkbox"/> Paper Copy (identical to computer copy) c. <input type="checkbox"/> Statement verifying identity of above copies
---	---

ACCOMPANYING APPLICATION PARTS	
8. <input type="checkbox"/> Assignment Papers (cover sheet & document(s))	
9. <input type="checkbox"/> 37 C.F.R. § 3.73(b) Statement (when there is an assignee)	<input type="checkbox"/> Power of Attorney
10. <input type="checkbox"/> English Translation Document (if applicable)	
11. <input type="checkbox"/> Information Disclosure Statement (IDS)/PTO-1449	<input type="checkbox"/> Copies of IDS Citations
12. <input type="checkbox"/> Preliminary Amendment	
13. <input checked="" type="checkbox"/> Return Receipt Postcard (MPEP 503) (Should be specifically itemized)	
14. <input type="checkbox"/> * Small Entity Statement(s) filed in prior application, (PTO/SB/09-12)	<input type="checkbox"/> Status still proper and desired
15. <input type="checkbox"/> Certified Copy of Priority Document(s) (if foreign priority is claimed)	
16. <input checked="" type="checkbox"/> Other: Check for \$790.00	

* NOTE FOR ITEMS 1 & 14: IN ORDER TO BE ENTITLED TO PAY SMALL ENTITY FEES, A SMALL ENTITY STATEMENT IS REQUIRED (37 C.F.R. § 1.27), EXCEPT IF ONE FILED IN A PRIOR APPLICATION IS RELIED UPON (37 C.F.R. § 1.28).

17. If a CONTINUING APPLICATION, check appropriate box, and supply the requisite information below and in a preliminary amendment:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No: _____

Prior application information: Examiner _____ Group / Art Unit: _____

18. CORRESPONDENCE ADDRESS					
<input type="checkbox"/> Customer Number or Bar Code Label			or <input checked="" type="checkbox"/> Correspondence address below		
(Insert Customer No. or Attach bar code label here)					
Name	Frank Chau, Esq. Dilworth & Barrese				
Address	333 Earle Ovington Blvd.				
City	Uniondale	State	NY	Zip Code	11553
Country	USA	Telephone	(516) 228-8484	Fax	(516) 228-8516

Name (Print/Type)	Frank Chau	Registration No. (Attorney/Agent)	34,136
Signature	<i>[Signature]</i>	Date	7-17-98

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

FEE TRANSMITTAL

Patent fees are subject to annual revision on October 1.
These are the fees effective October 1, 1997.
Small Entity payments must be supported by a small entity statement,
otherwise large entity fees must be paid. See Forms PTO/SB/09-12.
See 37 C.F.R. §§ 1.27 and 1.28.

TOTAL AMOUNT OF PAYMENT

(\$)

Complete if Known

Application Number

Filing Date

First Named Inventor

Hye-Young LEE

Examiner Name

Group / Art Unit

Attorney Docket No.

678-139 (P84157/STN)

514 U.S. PTO
09/18/00
07/17/98

METHOD OF PAYMENT (check one)

1. ☒ The Commissioner is hereby authorized to charge indicated fees and credit any over payments to:

Deposit
Account
Number
Deposit
Account
Name

04-1121

Dilworth & Barrese

- ☒ Charge Any Additional Fee Required Under 37 C.F.R. §§ 1.16 and 1.17 ☐ Charge the Issue Fee Set in 37 C.F.R. § 1.18 at the Mailing of the Notice of Allowance

2. ☒ Payment Enclosed:

☒ Check ☐ Money Order ☐ Other

FEE CALCULATION

1. BASIC FILING FEE

Large Entity Fee Code (\$)	Small Entity Fee Code (\$)	Fee Description	Fee Paid
101 790	201 395	Utility filing fee	790
106 330	206 165	Design filing fee	
107 540	207 270	Plant filing fee	
108 790	208 395	Reissue filing fee	
114 150	214 75	Provisional filing fee	
SUBTOTAL (1)			790

2. EXTRA CLAIM FEES

2. EXTRA CLAIMS		Fee from below	Fee Paid
Total Claims	12 - 20** = 0	22	0
Independent Claims	2 - 3** = 0	82	0
Multiple Dependent			

**or number previously paid, if greater; For Reissues, see below

Large Entity Fee Code (\$)	Small Entity Fee Code (\$)	Fee Description
103 22	203 11	Claims in excess of 20
102 82	202 41	Independent claims in excess of 3
104 270	204 135	Multiple dependent claim, if not paid
109 82	209 41	** Reissue independent claims over original patent
110 22	210 11	** Reissue claims in excess of 20 and over original patent

SUBTOTAL (2)

(\$) 0

FEE CALCULATION (continued)

3. ADDITIONAL FEES

Large Entity Fee Code (\$)	Small Entity Fee Code (\$)	Fee Description	Fee Paid
105 130	205 65	Surcharge - late filing fee or oath	
127 50	227 25	Surcharge - late provisional filing fee or cover sheet.	
139 130	139 130	Non-English specification	
147 2,520	147 2,520	For filing a request for reexamination	
112 920*	112 920*	Requesting publication of SIR prior to Examiner action	
113 1,840*	113 1,840*	Requesting publication of SIR after Examiner action	
115 110	215 55	Extension for reply within first month	
116 400	216 200	Extension for reply within second month	
117 950	217 475	Extension for reply within third month	
118 1,510	218 755	Extension for reply within fourth month	
128 2,060	228 1,030	Extension for reply within fifth month	
119 310	219 155	Notice of Appeal	
120 310	220 155	Filing a brief in support of an appeal	
121 270	221 135	Request for oral hearing	
138 1,510	138 1,510	Petition to institute a public use proceeding	
140 110	240 55	Petition to revive - unavoidable	
141 1,320	241 660	Petition to revive - unintentional	
142 1,320	242 660	Utility issue fee (or reissue)	
143 450	243 225	Design issue fee	
144 670	244 335	Plant issue fee	
122 130	122 130	Petitions to the Commissioner	
123 50	123 50	Petitions related to provisional applications	
126 240	126 240	Submission of Information Disclosure Stmt	
581 40	581 40	Recording each patent assignment per property (times number of properties)	
146 790	246 395	Filing a submission after final rejection (37 CFR 1.129(a))	
149 790	249 395	For each additional invention to be examined (37 CFR 1.129(b))	
Other fee (specify)			
Other fee (specify)			
SUBTOTAL (3)			0

*Reduced by Basic Filing Fee Paid

SUBMITTED BY:

Typed or
Printed Name

Frank Chau

Signature

Date

7/17/98

Complete (if applicable)

Reg. Number

34,136

Deposit Account
User ID

04-1121

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Atty. Docket No. 678-139 (P8415/STN)

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

Transmitted herewith for filing is the patent application of

Inventor(s) : Hye-Young LEE

For: MOBILE TELEPHONE CAPABLE OF DISPLAYING WORLD

TIME AND METHOD FOR CONTROLLING THE SAME

Enclosed are:

[X] 7 page(s) of Specification

[X] 3 page(s) of Claims

[X] 1 page(s) of Abstract

[X] 3 sheets of drawings [] formal [X] informal

[] _____ page(s) of Declaration and Power of Attorney

[] An Assignment of the invention to

CERTIFICATION UNDER 37 C.F.R. § 1.10

I hereby certify that this New Application Transmittal and the documents referred to as enclosed therein are being deposited with the United States Postal Service on this date July 17, 1998 in an envelope as "Express Mail Post Office to Addressee" Mail Label Number EL071685290US addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231.

Maureen A. Joyce
(Type or print name of person mailing paper)

(Signature of person mailing paper

[] This application claims the benefit under 35 U.S.C. §119(e) of U.S. Provisional Application(s) No(s)..

APPLICATION NO(S)..
_____/_____
_____/_____

FILING DATE

[] Certified copy of application

Country

Appln. No.

Filed

from which priority under Title 35 United States Code, § 119

is claimed

[] are enclosed.

[] will follow.

CALCULATION OF UTILITY APPLICATION FEE

For	Number Filed	Number Extra	Rate	Basic Fee
Total				\$790.00
Claims*	12 - 20 =	0	x \$ 22.00	\$ -0-
Independent				
Claims	2 - 3 =	0	x \$ 82.00	\$ -0-
Dependent				
Claims	[x] no	Add'l. Fee	None	= \$ -0-
TOTAL				\$790.00

[] Verified Statement of "Small Entity" Status Under 37 C.F.R. § 1.27. Reduced fees under 37 C.F.R. § 1.9(f) (50% of total) paid herewith \$_____.

[] A check in the amount of \$_____ for recording the attached Assignment is enclosed.

[X] A check in the amount of \$790.00 to cover the recording fee is attached.

[] Charge fee to Deposit Account No. 04-1121. Order No. _____
TWO (2) COPIES OF THIS SHEET ARE ENCLOSED.

*Includes all independent and single dependent claims and all claims referred to in multiple claims.
See 37 C.F.R. § 1.75(c).

[X] Please charge any deficiency as well as any other fee(s) which may become due under 37 C.F.R. § 1.16 and 1.17, at any time during the pendency of this application, or credit any overpayment of such fee(s) to Deposit Account No. 04-1121. Also, in the event any extensions of time for responding are required for the pending application(s), please treat this paper as a petition to extend the time as required and charge Deposit Account No. 04-1121 therefor. TWO (2) COPIES OF THIS SHEET ARE ENCLOSED.

Date: July 17, 1998


SIGNATURE OF ATTORNEY

Frank Chau
Reg. No. 34,136

DILWORTH & BARRESE
333 Earle Ovington Blvd.
Uniondale, NY 11553
Tel. No. (516) 228-8484
Fax. (516) 228-8516

MOBILE TELEPHONE CAPABLE OF DISPLAYING WORLD TIME AND METHOD FOR CONTROLLING THE SAME

BACKGROUND

1. Technical Field

5 The present application generally relates to an apparatus and method for providing local time information and, in particular, to a mobile telephone which is capable of calculating and displaying the local time for a plurality of cities in the world, and a method for controlling the same.

2. Description of the Related Art

10 The development of the industrial society has raised demands for mobile communication equipment such as mobile telephones. The mobile telephone has overcome the mobility limitation of the wired telephone, thereby contributing to the convenience of the users. Typically, mobile telephones have a clock function for displaying the regional time.

15 A user of a mobile telephone may occasionally want to know the local time of a certain city in a particular country. Conventionally, in order to determine this local time, the user would have to manually calculate the time difference between the user's present location and the desired city by using a world time table, which is a burdensome task. Therefore, there has been a demand for a mobile telephone which
20 is capable of automatically calculating and displaying the local time of a desired city.

SUMMARY OF THE INVENTION

25 The present application is directed to an apparatus and method for calculating and displaying the local time for a plurality of cities in the world. In one aspect, an apparatus for displaying local time information, comprises: means for storing Greenwich mean time (GMT) information for each of a plurality of cities; means for setting a reference time; means for counting a duration of time that elapses from when the reference time is set; means for selecting at least one of the plurality

of cities and calculating a local time of the selected city, the local time being based on a difference between the GMT of the selected city and the GMT of a present location of the apparatus, the reference time and the elapsed time; and means for outputting the local time.

5 The reference time may be either a time set by the user or a system time acquired from signal received from a remote system (e.g., a sync channel message received by a mobile telephone from a base station in a cellular communication system).

10 These and other objects, features and advantages of the present invention will become apparent from the following detailed description of illustrative embodiments, which is to be read in connection with the accompanying drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a block diagram of an apparatus in which the present invention can be implemented; and

15 FIGs. 2A and 2B is a flow diagram illustrating a method for calculating and displaying the world time according to an embodiment of the present invention.

DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS

20 It is to be understood that in the following description of preferred embodiments, specific details are set forth to provide a more thorough understanding of the present invention, notwithstanding that one skilled in the art may practice the invention without these specific details. In other instances, a detailed description of well known functions or constructions have been omitted so as to not obscure the present invention.

25 Referring now to FIG. 1, a block diagram illustrates a mobile telephone in which the present invention can be implemented. A controller 110 (e.g., microprocessor) controls the overall operations of the mobile telephone. In particular, the controller 110 enters into a "world time display mode" when the user inputs a

command for displaying the local time of a certain city or country. In the "world time display mode", the controller 110 calculates the local time of the selected city by using a difference value between the Greenwich mean time (GMT) of the selected city and the GMT of the city where the mobile telephone is located, and the regional time.

5 A first memory 111 (e.g., a flash memory), operatively connected to the controller 110, stores a control program for the controller 110, as well as initial service data and GMT data for each of the major cities in the world. A second memory 112 (e.g., random access memory (RAM)), operatively connected to the controller 110, temporarily stores data generated during operations of the mobile telephone, including

10 the system time and a user set time. A third memory 113 (e.g., an electrically erasable and programmable read only memory (EEPROM)), operatively connected to the controller 110, stores the parameters required for the various operations of the mobile telephone, as well as telephone numbers input by the user. A keypad 114, operatively connected to the controller 110, generates key data for setting various

15 operational modes of the mobile telephone, for selecting the city the local time of which the user desires to know, and for dialing the telephone number. The keypad 114 provides the controller 110 with the corresponding key data. A logic circuit 115 exchanges a plurality of data with the controller 110 and outputs control data to every functional element of the mobile telephone. A data processor 116 (e.g., a digital

20 signal processor (DSP)) processes reception data ("RXD") output from a radio frequency (RF) receiver 120 and provides the processed reception data ("RXD") to the controller 110. Further, the data processor 116 processes transmission data DT output from the controller 110 and provides the processed transmission data TXD to an RF transmitter 121.

25 A duplexer 122, connected to an antenna 124, separates a transmission RF signal output from the RF transmitter 121 and a reception RF signal input to the RF receiver 120. A reception audio signal RXA and the reception data RXD output from the RF receiver 120 are transferred to an audio receiver 117 and the data processor 116, respectively. The audio receiver 117 reproduces the reception audio

signal RXA. An audio transmitter 118 receives an input audio signal and generates a transmission audio signal TXA. The RF transmitter 121 receives the transmission data TXD and the transmission audio signal TXA, modulates them into the RF transmission signals, and then transfers the RF transmission signals to the duplexer 122. A frequency synthesizer 119 generates frequency synthesized signals for allocating a reception channel for the RF receiver 120 and a transmission channel for the RF transmitter 121 in accordance with a control data CTL output from the logic circuit 118.

A display 123 displays the world time under the control of the controller 110. The controller 110 includes internal counters such as a user set time counter and a system time counter. The user set time counter counts the time which elapses from the time set by the user, and a system time counter counts the elapsed time based on the system time received from the base station of the CDMA (Code Division Multiple Access) cellular system.

Referring now to FIGs. 2A and 2B, a flow chart illustrates a method for calculating and displaying the world time according to an embodiment of the present invention. Initially, the controller 110 initializes the mobile telephone when the user activates a power key which turns on the mobile telephone (step 20). After initialization, the controller 110 enters into a "pilot channel acquisition mode" whereby the controller 110 determines whether a pilot channel is acquired for communication with the base station (step 22). If the pilot channel is not acquired (negative result in step 22), the controller 110 determines whether the time allocated for acquiring the pilot channel has elapsed (step 24). If the pilot channel acquisition time has not elapsed (negative result in step 24), the controller 110 continues to check if a pilot channel has been acquired (return to step 22). On the other hand, if the pilot channel acquisition time has elapsed (positive result in step 24), the controller 110 enters into the "initialization mode" (return to step 20).

Once the pilot channel is acquired (positive result in step 22), the controller 110 enters into a "sync channel acquisition mode" and makes a

determination as to whether a sync channel message is received from the base station (step 26). If the sync channel message is not received (negative result in step 26), the controller 110 determines whether the time allocated for receiving the sync channel message has elapsed (step 28). If the time for receiving the sync channel message has not elapsed (negative result in step 28), the controller 110 continues to check whether the sync channel message is received (return to step 26). On the other hand, if the prescribed time for receiving the sync channel message has elapsed (positive result in step 28), the controller returns to the "initialization mode" (return to step 20).

Once the sync channel message is received (positive result in step 26), the controller 110 extracts the system time, as well as various parameters, from the received sync channel message and stores the extracted data (step 30). In particular, the sync channel message includes information such as the system time, a local time offset (i.e., a time difference) between the system time and the regional time, and a leap second occurrence after the system time counter is enabled.

Next, the controller 110 enters into an "idle mode" (step 32), during which the controller 110 monitors a paging channel and determines whether the user makes an outgoing call or selects other functions. The controller 110 then determines whether the user has set the user time (e.g., via the keypad 114) (step 34). If the user time is set (positive result in step 34), the controller 110 enables the user set time counter to count the time which elapses from when the user time is set (step 36). If the user time is not set (negative result in step 34), the controller 110 determines whether the system time is set (step 38). If so (positive result in step 38), the controller 110 enables the system time counter to count the time which elapses from when the system time is set (step 40). On the other hand, if both the user time and the system time are not set (negative result in steps 34 and 38), the controller 110 determines if the user has selected a "user time setting mode" (step 42). If the "user time setting mode" is selected (positive result in step 42), the controller 110 enters into a "user time setting mode" and performs the user time setting subroutine to set the reference time (step 44).

On the other hand, if the "user time setting mode" is not set (negative result in step 42), the controller 110 determines whether the user has selected a "world time display mode" (step 46 in Fig. 2B). If the "world time display mode" is set (positive result in step 46), the controller 110 enters into the "world time display mode" and determines whether the system time or the user time are set (step 48). If it is determined that neither the system time nor the user time are set (negative result in step 48), the controller 110 displays (via the display 123) an error message notifying the user to set the system time or the user time (step 50) and the controller enters back into the "idle mode" (return to step 32 in Fig. 2A). On the other hand, if the controller 110 has either acquired the system time from the sync channel message or has the set user time (positive result in step 48), the controller 110 determines whether the user has selected a city for which the user wants to know the local time (step 52). If the user has selected a city (positive result in step 52), the controller 110 calculates the local time of the selected city based on the GMT of the selected city and the GMT of the present location, and either the system time or the user set time and the corresponding elapsed time, and then displays the calculated time on the display 123 (step 56).

On the other hand, if it is determined that the user has not selected a city (negative result in step 52), the controller 110 displays a message inquiring whether the user wants to terminate the "world time display mode", and then determines whether the user has elected to release the "world time display mode" (step 54). If so (positive result in step 54), the controller enters into the "idle mode" (return to step 32 Fig. 2A). If the user elects not to release the "world display mode" (negative result in step 54), the controller will continue to check if the user has selected a city (return to step 52).

After the calculated local time of the selected city is displayed (step 56), the controller 110 determines whether the user has activated a scroll key to select another city (step 58). If the user activates the scroll key (positive result in step 58), the controller 110 calculates the local time of the next city selected from a displayed

city list and displays the calculated time on the display 123 (step 60). The controller 110 then determines whether the scroll key has been activated again (return to step 58). If the scroll key is not activated (negative result in step 58), the controller 110 displays a message inquiring whether the user wants to terminate "the world time display mode", and then determines whether the "world time display mode" has been released by the user (step 62). If the user releases the "world time display mode" (positive result in step 62), the controller enters into the "idle mode" (return to step 32 Fig. 2A). On the other hand, if the user elects to continue the "world time display mode" (negative result in step 62), the controller 110 determines whether the user has activated the scroll key (return to step 58) (i.e., selected another city). It is to be appreciated that the user can readily check the world time by having the mobile telephone display the local times of the major cities of the world (i.e., repeating steps 58, 60 and 62 to scroll through each city in the city list and calculate and display the corresponding local time).

Although the illustrative embodiments of the present invention have been described herein with reference to the accompanying drawings, it is to be understood that the invention is not limited to those precise embodiments, and that various other changes and modifications may be affected therein by one skilled in the art without departing from the scope or spirit of the invention. All such changes and modifications are intended to be included within the scope of the invention as defined by the appended claims.

WHAT IS CLAIMED IS:

1. An apparatus for displaying local time information, comprising:
means for storing Greenwich mean time (GMT) information for each of
a plurality of cities;

5

means for setting a reference time;

means for counting a duration of time that elapses from when said
reference time is set;

10

means for selecting at least one of said plurality of cities and
calculating a local time of said selected city, said local time being based on a
difference between the GMT of said selected city and the GMT of a present location
of said apparatus, said reference time and said elapsed time; and

means for outputting said local time.

2. The apparatus of claim 1, wherein said apparatus is a mobile
telephone.

15

3. The apparatus of claim 1, wherein said reference time is set by
a user of said apparatus.

4. The apparatus of claim 1, wherein said reference time is
acquired from a signal received from a remote system.

20

5. The apparatus of claim 2, wherein said reference time is a
system time acquired from a sync channel message received by said mobile cellular
phone from a base station of a CDMA (Code Division Multiple Access) cellular
system.

6. In an apparatus having a display and a memory for storing Greenwich mean time (GMT) information for each of a plurality of cities, a method for generating local time information, comprising the steps of:

setting a reference time;

5 counting a time which elapses from said setting of said reference time;

selecting at least one of said plurality of cities;

calculating a local time of said selected city based on a difference between the GMT of said selected city and the GMT of a present location of said apparatus, said reference time and said elapsed time; and

10 displaying said calculated local time.

7. The method of claim 6, further comprising the step of displaying a message to set a reference time if said step of setting a reference time does not occur.

8. The method of claim 6, wherein said step of selecting includes
15 the substeps of:

displaying a list of said plurality of cities; and

scrolling through said list to select a desired one of said plurality of cities.

9. The method as claimed in claim 6, wherein said reference time
20 is a time set by a user.

10. The method of claim 6, wherein said reference time is a system time acquired from a signal generated from a remote system and received by said apparatus.

11. The method of claim 6, wherein said apparatus is a mobile telephone.

12. The method of claim 11, wherein said reference time is a system time acquired from a sync channel message received from a base station of a CDMA cellular system.

5

0913100-0198
000000000000

ABSTRACT OF THE DISCLOSURE

An apparatus and method for calculating and displaying local time for a plurality of cities in the world. The apparatus includes a memory for storing Greenwich mean time (GMT) information for each of the plurality of cities. The apparatus sets a reference time and counts the time that elapses from when the reference time is set. The apparatus calculates a local time of a city selected by a user, which is based on a difference between the GMT of the selected city and the GMT of a present location of the apparatus, the reference time and the counted elapsed time. The reference time may be either a time set by the user or a system time acquired from a signal generated from a remote system.




FIG. 1




FIG. 2A





FIG. 2B

United States Patent & Trademark Office

Office of Initial Patent Examination -- Scanning Division



Application deficiencies found during scanning:

1. Application papers are not suitable for scanning and are not in compliance with 37 CFR 1.52 because:
 - ☐ All sheets must be the same size and either A4 (21 cm x 29.7 cm) or 8-1/2" x 11". Pages _____ do not meet these requirements.
 - ☐ Papers are not flexible, strong, smooth, non-shiny, durable, and white.
 - ☐ Papers are not typewritten or mechanically printed in permanent ink on one side.
 - ☐ Papers contain improper margins. Each sheet must have a left margin of at least 2.5 cm (1") and top, bottom and right margins of at least 2.0 cm (3/4").
 - ☐ Papers contain hand lettering.
2. Drawings are not in compliance and were not scanned because:
 - ☐ The drawings or copy of drawings are not suitable for electronic reproduction.
 - ☐ All drawings sheets are not the same size. Pages must be either A4 (21 cm x 29.7 cm) or 8-1/2" x 11".
 - ☐ Each sheet must include a top and left margin of at least 2.5 cm (1"), a right margin of at least 1.5 cm (9/16") and a bottom margin of at least 1.0 cm (3/8").
3. Page(s) _____ are not of sufficient clarity, contrast and quality for electronic reproduction.
4. Page(s) _____ are missing.
5. OTHER: No Declaration(s) Enclosed